Express Mail No. EV 832910000 US

	IN THE UNITED STATES
/	RATENT AND TRADEMARK OFFICE
0	7 1 6 2006 (5)
13	AD FORMATION DISCLOSURE
18	STATEMENT BY APPLICANT
(4)	14004A

APPLICATION NO:	10/539,035
FILING DATE:	June 14, 2005
FIRST NAMED	Rosanne Welcher
ART UNIT:	1743
EXAMINER NAME:	Brian J. Sines
DOCKET NO:	P142-US-01

I. US PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO. & KIND CODE (if	PATENTEE OR	PUBLICATION/ISSUE DATE mm/dd/yyyy	Pages, Columns, Lines Where Relevant Passages Or Relevant	
111111111111111111111111111111111111111	known)	APPLICANT		Drawings Appear	
/J,N./	3,219,416	Natelson	11/23/1965		
70,14,1	3,398,935	Livesey, et al.	8/27/1968		
	3,547,064	Binnings, et al.	4/6/1971		
	3,680,967	Englehardt	8/1/1972		
	3,772,154	Isenberg et al.	11/13/1973		
	3,853,092	Amos et al.	12/10/1974		
	3,854,703	Gibbs et al.	12/17/1974		
	3,909,203	Young et al.	9/30/1975		
	3,916,157	Roulette et al.	10/28/1975		
	4.013.038	Rogers et al.	3/22/1977		
	4,066,412	Johnson et al.			
	4,113,437	Duff et al.	9/12/1978		
	4,133,642	Nosaka et al.	1/9/1979		
	4,159,875	Hauser	7/3/1979		
_	4,200,056	Johnson	4/29/1980		
	4,200,607	Suzuki	4/29/1980		
	4,245,967	Busselet	1/20/1981		
	4,298,571	DiFulvio et al.	11/3/1981		
	4,406,547	Aihara	9/27/1983		
	4,447,395	Englar et al.	5/8/1984		
	4,455,280	Shinohara et al.	6/19/1984		
	4,467,603	Wilson	8/28/1984		
	4,567,748	Klass et al.	2/4/1986		
	4,585,622	Bowe et al.	4/29/1986		
	4,643,879	Hanaway	2/17/1987		
	4,647,432	Wakatake	3/3/1987		
	4,664,526	Scheffler et al.	5/12/1987		
	4,675,299	Witty et al.	6/23/1987		
ΔL	4,678,894	Shafer	7/7/1987		
W	4,681,741	Hanaway	7/21/1987		
/J.N./	4,683,120	Meserol et al.	7/28/1987		

/J.	N./	4,692,308	Riley, et al.	9/8/1987
		4,708,886	Nelson	11/24/1987
	1	4,719,087	Hanaway	1/12/4988
		4,727,033	Hijikata et al.	2/23/1988
		4,729,661	Bell	3/8/1988
		4,764,342	Kelln et al.	8/16/1988
		4,774,055	Wakatake et	9/27/1988
			al.	
		4,795,613	Azuma et al.	1/3/1989
		4,795,710	Muszak et al.	1/3/1989
		4,808,380	Minekane	2/28/1989
		4,815,978	Mazz et al.	3/28/1989
	-	4,824,641	Williams	4/25/1989
-	 	4,849,177	Jordan	7/18/1989
_	_	4,855,110	Marker et al.	8/8/1989
	 	4,865,811	Newton et al.	9/12/1989
	 	4,900,513	Barker et al.	2/13/1990
-	 	4,919,887	Wakatake	4/24/1990
\vdash	-	4,933,147	Hollar et al.	6/12/1990
\vdash	-	4,943,415	Przybylowicz	7/24/1990
			et al.	112411330
		4,961,906	Andersen et	10/09/1990
			al.	
		4,965,049	Lillig et al.	10/23/1990
		4,985,206	Bowman et al.	01/15/1991
		4,988,482	Weston	1/29/1991
		5,031,797	Boris et al.	7/16/1991
		5,051,238	Umetsu et al.	9/24/1991
		5,059,393	Quenin et al.	10/22/1991
		5.075.079	Kerr et al.	12/24/1991
		5,102,624	Muraishi	4/7/1992
		5,106,583	Raysberg et al.	4/21/1992
		5,122,342	McCullochh et	6/16/1992
		5,180,606	Stokes et al.	01/19/1993
	-	5,250,262	Heidt et al.	10/5/1993
		5,311,426	Donohue et al.	5/10/1994
		5,316,452	Bogen et al.	5/31/1994
		5,316,728	Hayashi et al.	5/31/1994
╙		5,350,697	Swope et al.	9/27/1994
		5,355,695	Kawaguchi et al.	10/18/1994
		5,365,595	Kanamori et al.	10/18/1994
		5,424,036	Ushikubo	6/13/1995
	7	5,656,493	Mullis et al.	8/12/1997
₩		6,083,490	Ellis et al.	7/4/2000
	J.N./	6,248,590	Malachowski	6/19/2001

/J.N./	6,420,916	Freeman	7/16/2002	
	6,498,037	Lewis et al.	12/24/2002	
	6,872,901	Copeland et al.	12/7/2004	
	6,943,029	Copeland et al.	9/13/2005	
	2001/010936	Richards et al.	8/2/2001	
\neg	2002/0091593	Fowler	7/11/2002	
	2002/0116132	Rhett et al.	8/22/2002	
	2003/0099573	Tseung et al.	5/29/2003	
	2005/0038676	Showalter et al.	2/17/2006	
	2005/0159982	Showalter et al.	7/21/2005	
\neg	2006/0045806	Winther et al.	3/2/2006	
	2006/0062365	Welcher et al.	3/23/2006	
	2006/0085140	Feingold et al.		
	2006/0088940	Feingold et al.	4/27/2006	
	2006/0105359	Favuzzi et al.	5/18/2006	
	2006/0172426	Buchanan et al.	8/3/2006	
	2006/046298 A1	Key et al.	3/2/2006	
7	2006/088928	Sweet et al.	4/27/2006	
$\neg v$	RE 28585	Amos et al.	2/3/1975	
/J.N./	RE 30.730	Duff	9/1/1981	

II. FOREIGN PATENT DOCUMENTS

EXAMINER	Foreign Patent	PATENTEE OR	PUB'N DATE mm-	TRANSLATIO
INITIAL	Document Country	APPLICANT NAME	dd-yyyy	Yes No
	Code, Number, Kind			
	Code (if known)	200		
/J.N./	EP 0285851 A2	Fuji Photo Film Co.,		
/J.IN./		Ltd.	10/12/1988	
	EP 0290018 A2	Abbott Laboratories	11/9/1988	
	FR 2239167	Ministere de	7/26/1973	
		L'Agriculture, Service		
		Veterinaire		
	GB2216 259	Microvol Limited	3/31/1988	
	JP 54014287 A	Toshiba Corp.	2/2/1979	
	JP 55107957	Agency of Ind Science	8/19/1980	
		& Technol		
	WO 03/052386 A1	Lab Vision		
		Corporation	6/26/2003	
	WO 2005/084263	Dako Denmark A/S		
	A2		9/15/2005	
	WO 85/03571	Hulette	8/15/1985	
	WO 87/00086	American Hospital		
		Supply Corp.	1/15/1987	
	WO 88/02866	Serono Diagnostics		
1		Partners	4/21/1988	
	WO 8802865	Weston	4/21/1988	
V	WO 89/01616	Arthur Harris	2/23/1989	
	WO 91/13335	Immunodiagnostics,		
/J.N./		Inc.	9/5/1991	

III. OTHER REFERENCES

EXAMIN	R Document
INITIA	
/J.N./	CHOW et al., "Application of Existing Technology to Meet Increasing Demands for
	Automated Sample Handling," Clinical Chemistry, 36(9):1579-1582, 1990.
	DRICSOLL et al., "Discreet Automated Chemistry System with Tableted Reagents,"
	Clinical Chemistry, 29(9): 1609-1615, 1983.
	GARZA et al., "Bar Codes in the Clinical Laboratory," Clinical Laboratory Science, 4(1):23-
l 1	24, Jan/Feb 1991.
	INNIS et al., "DNA Sequencing with Thermus Aquaticus DNA Polymerase and Direct
	Sequencing of Polymerase Chain Reaction-Amplified DNA," Proc. Natl. Acad. Sci.
	85:9436-9440, December 1988.
	International Application No. PCT/US03/40520 filed December 19, 2003; Written Opinion
	International Application No. PCT/US03/40974 filed December 19, 2003; Written Opinion
	International Application Number PCT/US03/40880 Written Opinion dated September 28,
-	2005
	International Preliminary Examination Report, P131WO01, International Application No.
	PCT/US03/40518 filed December 19, 2003
	International Preliminary Examination Report, P139WO01, International Application No.
	PCT/US03/40880 filed December 22, 2003
	International Preliminary Examination Report, P140WO01, International Application No.
\vdash	PCT/DK03/00877 filed December 15, 2003 International Preliminary Examination Report, P142WO01, International Application No.
	PCT/US03/40519 filed December 19, 2003
⊢-	International Preliminary Examination Report, P143WO01, International Application No.
	PCT/US03/40591 filed December 19, 2003
	International Preliminary Examination Report, P144WO01, International Application No.
	PCT/US03/41022 filed December 22, 2003
\vdash	International Preliminary Examination Report, P145WO01, International Application No.
	PCT/US03/40520 filed December 19, 2003, mailing date March 27, 2006
	International Preliminary Examination Report, P145WO01, International Application No.
	PCT/US03/40520 filed December 19, 2003, mailing date May 31, 2005
-	International Preliminary Examination Report, P149WO01, International Application No.
	PCT/US03/40974 filed December 19, 2003
	Lifshitz, M. S, et al., Talking about Technology, Clinical Laboratory Management Review,
	1989 Jan-Feb;3(1):53-4.
	LINDEMAN et al., "Evaluation of the Automation of the Immunoenzymatic Procedures in a
	Routine Histo/Cytopathalogical Laboratory," Histopathology, 6:739-746, 1982.
	Pearson, L. S., The use of bar coding technology, Medical Device Technology, March
\vdash	1994
	RAPPAPORT, "If Bar Code Works in Supermarkets, It Should Be Great for
	Medicine,"Pathologist, 39(2): 39-40, 185.
	Rocks, B. F. et al., Automatic analysers in clinical biochemistry, B F Rocks et al 1986 Clin.
	Phys. Physiol. Meas. 7 1-29
	SAIKI et al., "Enzymatic Amplification of ß-Globin Genomic Sequences and Restriction
/J.N./	Site Analysis for Diagnosis of Sickle Cell Anemial," Science 230:1350-1353, 20 December 1985.
L	[1800.

/J.N./	Singer, R. et al., Selection and evaluation of laboratory instrumentation in clinical chemistry: If Guidelines for selection and evaluation, Med Lab Sci. 1987 Jan;44(1):6-14.
	Stark et al., An automated Devide of Immunocytochemistry, Journal of Immunological Methods, 1988, Elsevier, 107, pp. 89-92
	Taylor, C., Creating a bar code chemistry system, Medical Laboratory Observer, 1993 Feb;25(2):34-6.
	TILZER et al., "Use of Bar Code Labels on Collection Tubes for Specimen Management in the Clinical Laboratory," Arch Pathol Lab Med, 112:1201-1202, Dec. 1988.
	U.S. Patent Application No. 11/119,417 filed April 30, 2005, "Method and Apparatus for Pretreatment of Biological Samples
	United States District Court, District of Arizona, CV03-92 TUC-RCC, Ventana Medical vs Biogenix Laboratories Reporter's Transcript of Proceedings (Markman Hearing) before Honorable Raner C. Collins, August 11, 2005.
	United States District Court, District of Arizona, CV03-92 TUC-RCC, Ventana Medical vs Biogenix Laboratories, Judgment in a Civil Case, October 19, 2005
	United States District Court, District of Arizona, CV03-92 TUC-RCC, Ventana Medical vs Biogenix Laboratories, Order and Opinion on Motion, August 23, 2005
	United States District Court, District of Arizona, CV03-92 TUC-RCC, Ventana Medical vs Biogenix Laboratories, Order filed October 4, 2005
	Unlied States District Court, District of Arizona, Ventana v. Cytologix, CIV 02117 TUC (RCC) Plaintiffs Memorandum in Support of Petition for Temporary Restraining Order and Permanent Injunction filed March 2002
	United States District Court, District of Arizona, Ventana v. Cytologix, CIV 02117 TUC (WDB) Ventana's Reply in Support of its Motion for Preliminary Relief filed June 2002
	United States District Court, District of Arizona, Ventana v. Cyfologix, CIV 02117 TUC(WD8) Defendant's Surreply in Opposition to Plaintiff's Motion for Preliminary Injunctive Relief filed July 2002
	United States District Court, District of Arizona, Ventana v. Cytologix, CIV02117 TUC (RCC) Plaintiff's Motion for Temporary Restraining Order filed March 2002
	United States District Court, District of Delaware, Ventana v. Dakocytomation California, CIV041522 (GMS) Order Construing the Terms of U.S. Patent No. 6,827,901 dated December 13, 2005
	United States District Court, District of Massachusetts, Vision Biosystems (USA) Trading v. Ventana Medical Systems, CIV 03CV10391GAO, Declaration of Richard Wydeven in Support of Plaintiff's Motion for Summary Judgment of Non-Infringement Based on Collateral Estoppel, filed October 7, 2005
	United States District Court, District of Massachusetts, Vision Biosystems (USA) Trading v. Ventana Medical Systems, CiV 03CV10391GAO, Defendant Ventana Medical Systems, Inc.'s Memorandum in Opposition to Vision's Motion for Summary Judgment of Non-Infringement Based on Collateral Estoppel, filed October 21, 2005
/J.N./	United States District Court, District of Massachusetts, Vision Biosystems (USA) Trading v. Ventana Medical Systems, CIV 03CV10391GAO, Defendant Ventana Medical Systems, Inc.'s Statement of Material Facts in Dispute, in Opposition to Vision's Motion for Summary Judgment of Non-Infringement Based on Callateral Estopped filed Crother 21 2000

Judgment of Non-Infringement Based on Collateral Estoppel, filed October 21, 2005

/J.N./	United States District Court, District of Massachusetts, Vision Biosystems (USA) Trading v. Ventana Medical Systems, CN 03CV10391GAO, Defendant's Statement of Material Facts in Dispute, in Opposition to Plaintiff's Motion for Summary Judgment o No Infringement of the 861 Patent, filed January 15, 2004
	United States District Court, District of Massachusetts, Vision Biosystems (USA) Trading v. Ventana Medical Systems, CIV 03CV10391GAO, Memorandum and Order filed September 30, 2004
***************************************	United States District Court, District of Massachusetts, Vision Biosystems (USA) Trading v. Ventana Medical Systems, CIV 03CV10391GAO, Plaintiff's Memorandum in Support of its Motion for Summary Judgment of Nonfringement Based on Collateral Estoppel, filed October 7, 2005
	United States District Court, District of Massachusetts, Vision Biosystems (USA) Trading v. Ventana Medical Systems, CIV 03CV10391GAO, Plaintiff's motion for Summary Judgment of Non-Infringement Based on Collateral Estoppel filed October 7, 2005
	United States District Court, District of Massachusetts, Vision Biosystems (USA) Trading v. Ventana Medical Systems, CIV 03CV10391GAO, Plaintiff's Statement of Undisputed Facts in Support of its Motion for Summary Judgment of Non-Infringement Based on Collateral Estoppel, filed October 7, 2005
Of the latest designation of the latest desi	United States District Court, Eastern District of Massachusetts, Vision Biosystems (USA) Trading v. Ventana Medical Systems, CIV 03CV10391GAO, Defendant's Memorandum in Opposition to Plaintiff's Motion for Summary Judgment of No Infringement, and in Support of Defendant's Cross-Motion for Summary Judgment of Infringement of the 861 Patent, filed January 15, 2004
	United States District Court, Eastern District of Massachusetts, Vision Biosystems (USA) Trading v. Ventana Medical Systems, CIV 03CV10391GAO, Defendant's Statement of Undisputed Material Facts, in Support of its Cross-Motion for Summary Judgment of Infringement of the 861 Patent filed January 2004
	United States nonprovisional Application No. 07/488,601, "Automated Biological Reaction Apparatus" filed March 02, 1990 United States nonprovisional Application No. 07/924.052, "Automated Biological Reaction
	Apparatus" filed August 31, 1992 United States Provisional Application No. 60/487,998, "An Interface Point Server," filed
<u> </u>	July 17, 2003, 52 pages. US Patent Application Number 10/054,535, Entitled Automated Biological Reaction
/J.N./	Apparatus, now Patent number 6,943,029, the entire wrapper
EXAMINER:	/Jyoti Nagpaul/ DATE CONSIDERED 09/22/2009

XAMINER: /Jyoti Nagpaul/ DATE CONSIDERED 09/22/200

EXAMINER: Please initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.